

Case Report: A Rare Case of Bartholin's Cyst Ward Catheter Found In The Urinary Bladder

Aysha Nedham, MD, BSC, FRCSC* Angela Deane, MD, FRCSC** Stanley Flax, MB Bch, FRCSC*** Modupe Tunde-Byass, MD, FRCSC****

ABSTRACT

A variety of skin lesions from benign to premalignant and malignant can present on the vulva. One of the most common presentation to the emergency department is Bartholin gland issues, from simple cyst to Bartholin gland abscess and malignancy.

Symptomatic Bartholin abscesses and cysts account for about 2% of all gynecologic visits per year [1]. Varieties of management options are available for symptomatic Bartholin cysts or abscesses, depends on the patient's symptoms and degree of inflammation and infection present. Treatment options include simple drainage, fistulization, marsupialization, and excision of the gland. These treatment options do not guarantee complete cure of the Bartholin gland abscess and they might be associated with rare complications. [2].

Bahrain Med Bull 2024; 46 (2): 2146 - 2149

* Department of Obstetrics and Gynaecology
University of Toronto, Toronto, ON.
E-mail: dr.ayshakhonji@gmail.com

** Department of Obstetrics and Gynaecology
North York General Hospital, ON.

*** Department of Urology, North York General Hospital, ON.

**** Department of Obstetrics and Gynaecology, University of Toronto, Toronto, ON.